

Gorgiel ... in warm atmosphere



MAVI

INFORMATION CARD

PREMIUM LINE

KEY FEATURES

- Perfect, unique workmanship
- Modern design
- Easy assembly
- No visible brackets
- The heater complies with the EN 442 standard
- Quality control at every stage of production
- Guarantee of quality



Supplied as standard in white [01] with type 11 connection.
The valves shown in the photo are optional accessories available at an additional cost.


SEE RECOMMENDED ACCESSORIES

Type:	AMV - bathroom radiator
Material:	Low carbon steel
Construction:	Pipe profile 30x20; Collector profile 35 x 35
Work pressure:	Up to 0,8 MPa (8 bar)
Work temperature:	Up to 95°C
Standard equipment:	Plug standard ½" Air vent manual standard ½" Bracket type Z20
Standard finishing:	White colour [01]
Connection:	Thread ½"


	STANDARD
Connection diagrams	[C]
Connection codes	
	2 - manual air vent ½" 3 - plug ½"

RECOMMENDED ACCESSORIES

	For connection type [11], a set of supply and shut-off valves with a colored thermostatic head
--	--



H - height; W - width; D - depth; C - connection spacing




MAVI	Height H [mm]	Width W [mm]	Depth D [mm]	Connection C [mm]	Heat output			Product INDEKS	version CODE
					55/45/20°C	75/65/20°C	90/70/20°C		
AMV 80/40	815	435	75	400	160	303	381	1011514384	1101
AMV 110/40	1175	435	75	400	225	427	537	1011514386	1101
AMV 150/40	1535	435	75	400	289	551	694	1011514388	1101
AMV 80/50	815	535	75	500	188	356	447	1011514390	1101
AMV 110/50	1175	535	75	500	264	501	630	1011514392	1101
AMV 150/50	1535	535	75	500	340	648	816	1011514394	1101



GORGIEL GROUP Sp. zo.o. Sp.k.

Karpicko, 64-200 Wolsztyn
ul. Poznańska 10

tel. +48 68 347 54 00
fax + 48 68 347 54 50
gorgiel@gorgiel.com.pl



gorgiel.pl