


Gorgiel ... in warm atmosphere



Herkules

TECHNICAL SHEET

ELECTRIC DRYER

KEY FEATURES


- Easy assembly
- Classic design
- Guaranteed high quality
- For drying fabrics
- Simple operation and smooth adjustment

As standard delivered in white or chrome with an electric heater according to the table connected in position 01 [see connection diagram]

Type:	Temida - suszarka elektryczna
Material:	Stal niskowęglowa, niestopowa
Construction:	Rury profil Ø 20 Kolektor profil D 40 x 30
Surface finish:	Standardowo kolor biały [01]

ELECTRIC HEATER

Power:	230 VAC, 50 Hz
Housing protection class:	IPx 1
Heater connection:	½"
Working environment:	water
Working temperature:	from 0 up to 65 °C




connections diagrams	STANDARD
	[E] 2 [01] 3
connections codes	2 [02] 3

2 - air vent ½"
3 - ½"plug


ELECTRIC HEATER FUNCTIONS

1. smooth temperature control from 10°C to 65°C
2. Antifreeze function
3. for drying fabrics
4. 4 levels of temperature setting

HERKULES	Hg [mm]	H [mm]	W [mm]	D [mm]	[W]	INDEKS
E 25	620	740	500	115	300	10111420100101
E 26	940	1060	500	115	300	10111420200101
E 27	1180	1300	500	115	300	10111420300101
E 28	1340	1460	500	115	600	10111420400101
E 28Y	1500	1620	500	115	600	10111420500101
E 28X	1700	1820	500	115	600	10111420600101
E 26 CH	940	1060	500	115	300	10126023200115
E 27 CH	1180	1300	500	115	600	10126023300115
E 28 WXCH	1700	1820	500	115	900	10126023400115



H - total height; Hg - radiator height; W - width; D - depth (regulated);
M - connection distance;





GORGIEL GROUP Sp. zo.o. Sp.k.

Karpicko, 64-200 Wolsztyn
ul. Poznańska 10

☎ +48 68 347 54 00

☎ + 48 68 347 54 50

✉ gorgiel@gorgiel.com.pl



gorgiel.pl