

Gorgiel ... in warm atmosphere



RECTA

INFORMATION CARD

PREMIUM LINE


KEY FEATURES

- Easy to mount
- Performance
- Perfect for any bathroom
- Original and esthetic combination of square profiles
- The heater complies with the EN 442 standard
- Guaranteed high quality




Supplied as standard in white [01] with type [11] connection. The valves shown in the photo are optional accessories available at an additional cost.

| | |
|---------------------|--|
| Type: | ARE - bathroom radiator |
| Material: | Low carbon steel, unalloyed |
| Construction: | Profile 20 x 20 Collector 35 x 35 |
| Work pressure: | Up to 1,0 MPa (10 bar) |
| Work temperature: | Up to 95°C |
| Standard equipment: | Premium plug ½" Premium air vent ½" Radiator bracket type Z 20 |
| Surface finish: | Standard color white [01] |
| Connection: | ½" |


| | STANDARD |
|--------------------|---|
| Connection diagram | [C]  |
| Connection code | |
| | 2 - air vent ½" 3 - plug ½" |

| RECTA | H [mm] | W [mm] | D [mm] | C [mm] | 55/45/20°C [W] | 75/65/20°C [W] | 90/70/20°C [W] | INDEKS | [kg] | [dm ³] |
|------------|--------|--------|--------|--------|-------------------|-------------------|-------------------|------------------------|-------|--------------------|
| ARE 70/45 | 690 | 435 | 75 | 500 | 155 | 292 | 366 | 1011514299 1101 | 6,04 | 3,11 |
| ARE 95/45 | 935 | 435 | 75 | 500 | 209 | 394 | 494 | 1011514300 1101 | 8,61 | 4,40 |
| ARE 120/45 | 1180 | 435 | 75 | 500 | 264 | 498 | 624 | 1011514303 1101 | 10,67 | 5,46 |
| ARE 140/45 | 1390 | 435 | 75 | 500 | 311 | 588 | 738 | 1011514304 1101 | 12,63 | 6,46 |
| ARE 170/45 | 1705 | 435 | 75 | 500 | 383 | 726 | 912 | 1011514305 1101 | 15,68 | 8,01 |
| ARE 70/55 | 690 | 535 | 75 | 500 | 188 | 353 | 442 | 1011514279 1101 | 7,09 | 3,57 |
| ARE 95/55 | 935 | 535 | 75 | 500 | 252 | 476 | 596 | 1011514280 1101 | 10,16 | 5,08 |
| ARE 120/55 | 1180 | 535 | 75 | 500 | 318 | 601 | 754 | 1011514281 1101 | 12,57 | 6,30 |
| ARE 140/55 | 1390 | 535 | 75 | 500 | 375 | 709 | 890 | 1011514282 1101 | 14,89 | 7,45 |
| ARE 170/55 | 1705 | 535 | 75 | 500 | 462 | 876 | 1100 | 1011514283 1101 | 18,50 | 9,24 |



H - height; W - width; D - depth;

M - connection spacing;





GORGIEL GROUP Sp. zo.o. Sp.k.

Karpicko, 64-200 Wolsztyn
ul. Poznańska 10

tel. +48 68 347 54 00
fax + 48 68 347 54 50
gorgiel@gorgiel.com.pl



gorgiel.pl